



U.S. DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY

MINERAL RESOURCES OF THE
QUEER MOUNTAIN WILDERNESS STUDY AREA,
ESMERALDA COUNTY, NEVADA

By

MICHAEL F. DIGGLES¹
U.S. Geological Survey

and

ANDREW M. LESZCYKOWSKI²
U.S. Bureau of Mines

U.S. Geological Survey
Open-File Report 90-0619

Prepared by the U.S. Geological Survey and the U.S. Bureau of Mines



for the U.S. Bureau of Land Management

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards or with the North American stratigraphic code. Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government

¹Menlo Park, CA 94025

²Spokane, WA 99202

1990

TN
24
.N3
Q44
1990

BLM Library
Denver Federal Center
Bldg. 50, OC-521
P.O. Box 25047
Denver, CO 80225

STUDIES RELATED TO WILDERNESS

Bureau of Land Management Wilderness Study Area

The Federal Land Policy and Management Act (Public Law 94-579, October 21, 1976) requires the U.S. Geological Survey and U.S. Bureau of Mines to conduct mineral surveys on certain areas to determine the mineral values, if any, that may be present. Results must be made available to the public and be submitted to the President and the Congress. This report presents the results of a mineral survey of the Queer Mountain (NV-060-354) Wilderness Study Area, Esmeralda County, Nevada.

Appendix 10
Description of levels of natural resource potential and certainty of assessment 11
Natural resource classification 12
Geologic time chart 13

Map showing location and mineral resource potential of the Queer Mountain
Wilderness Study Area, Esmeralda County, Nevada 2

BLM Library
Denver Federal Center
Rm. 50, CC-921
P.O. Box 25047
Denver, CO 80225

CONTENTS

Summary	4
Abstract	4
Character and setting	4
Introduction	4
Sources of data	4
Recommendations	6
Appraisal of identified resources	6
Mines and prospects	6
Mining history	7
Identified mineral resources	7
Assessment of mineral resource potential	7
Geology	7
Mineral resource potential	7
References cited	8
Appendixes	10
Definition of levels of mineral resource potential and certainty of assessment	11
Resource/reserve classification	12
Geologic time chart	13

FIGURE

1. Map showing location and mineral resource potential of the Queer Mountain Wilderness Study Area, Esmeralda County, Nevada 5

BLM Library
Denver Federal Center
Bldg. 50, OC-521
P.O. Box 25047
Denver, CO 80225

SUMMARY

Abstract

At the request of the U.S. Bureau of Land Management, the 42,650-acre Queer Mountain Wilderness Study Area (NV-060-354) was evaluated for identified mineral resources (known) and mineral resource potential (undiscovered). In this report, the area studied is referred to as the "wilderness study area" or simply "the study area." Library research was conducted in 1990 to assess the mineral resources and resource potential of the area; no field work was conducted.

No mines, prospects, or mineral resources have been identified within the study area. The study area contains zones that have moderate mineral resource potential for gold and silver and low mineral resource potential for silver, molybdenum, copper, and lead.

Character and Setting

The Queer Mountain Wilderness Study Area (fig. 1) covers approximately 42,650 acres in Nevada along the California boarder. The study area is located 12 mi west of Scotty's Junction, Nev. and 40 mi south of Goldfield, Nev. Dirt roads off Nevada State highway 72 a few miles southeast of the study area provide access. Paleozoic shale and limestone, Mesozoic granitic rocks, and Tertiary tuff (see appendixes for geologic time chart) underlie the study area. The terrain is rugged with elevations ranging from about 4,200 ft in the east to 6,600 ft in central part.

INTRODUCTION

This mineral survey was requested by the U.S. Bureau of Land Management and is the result of a cooperative effort by the U.S. Geological Survey and the U.S. Bureau of Mines. An introduction to the wilderness review process, mineral survey methods, and agency responsibilities was provided by Beikman and others (1983). The U.S. Bureau of Mines evaluates identified resources at individual mines and known mineralized areas by collecting data on current and past mining activities and through field examination of mines, prospects, claims, and mineralized areas. Identified resources are classified according to a system that is a modification of that described by McKelvey (1972) and U.S. Bureau of Mines and U.S. Geological Survey (1980). U.S. Geological Survey studies are designed to provide a scientific basis for assessing the potential for undiscovered mineral resources by determining geologic units and structures, possible environments of mineral deposition, presence of geochemical and geophysical anomalies, and applicable ore-deposit models. Goudarzi (1984) discussed mineral assessment methodology and terminology as they apply to these surveys. See appendixes for the definition of levels of mineral resource potential and certainty of assessment and for the resource/reserve classification.

Sources of Data

Wrucke and others (1984, 1985) presented reports on the mineral resources of the nearby Little Sand Springs Wilderness Study Area and Miller (1983) summarized the known deposits of that area. Leszczykowski (1990a, b) presented a preliminary appraisals of the known deposits within the Grapevine Mountain and Queer Mountain Wilderness Study Areas. An early treatment on the mining districts and mineral resources of Nevada was compiled by Lincoln (1923). Albers and Stewart (1972) presented the geology and mineral deposits of Esmeralda County.




Figure 1.--Map showing location and mineral resource potential of the Queer Mountain Wilderness Study Area, Esmeralda County, Nevada.

EXPLANATION FOR FIGURE 1

- L Area having low mineral resource potential
M Area having moderate mineral resource potential
Level of certainty of assessment
B Data suggest level of potential

Commodities

- Ag Silver
Au Gold
Cu Copper
Mo Molybdenum
Pb Lead

A preliminary resource study of the Grapevine Canyon area was done by Albers and Stewart (1983). Weimer-McMillion and others (1983) presented a bibliography of mineral information on Nevada and Wong (1983) presented a map of resource areas. Mineral resource data for this report are available through the Mineral Resource Data System (MRDS) summarized by Sherlock and Tingley (1985).

Recommendations

Geochemical sampling in the northern part of the area is needed to evaluate the potential for quartz vein gold deposits. Geophysical studies are necessary to determine the thickness of the tuff in the central and southern parts of the area, and to determine the feasibility of exploring for hidden deposits below the tuff. Reconnaissance field work is recommended to evaluate possible metallic and non-metallic occurrences in the study area to ensure that no mineralized sites were overlooked in the pre-field study. The Wilderness Study Area should be studied as part of a comprehensive mineral survey by the U.S. Bureau of Mines and the U.S. Geological Survey.

APPRAISAL OF IDENTIFIED RESOURCES

By Andrew M. Leszczykowski

U.S. Bureau of Mines

Mines and Prospects

There is no record of mineral production from the Queer Mountain study area. No mines past or present are known to exist in the study area. According to current (April 1990) U.S. Bureau of Land Management location records there are no active mining claims inside the boundaries of the study area. Wrucke and others (1984) indicate there was production (amount unknown) from the Sylvia Mine, about 1 mi north of the northwestern corner of the Queer Mountain Wilderness Study Area. Available literature, U.S. Geological Survey topographic maps, and U.S. Bureau of Mines Mineral Industry Location System files do not show mining activity within the study area.

Mining History

There are no known mining districts that incorporate the Queer Mountain Wilderness Study Area. The Tokop (Gold Mountain) mining district lies immediately northeast of the study area and has produced approximately 3,300 ounces of gold, 37,300 ounces of silver, 11,700 pounds of copper, and 53,500 pounds of lead.

Identified Mineral Resources

No mineral resources have been identified in the Queer Mountain Wilderness Study Area. The study area has not been subjected to a detailed examination. No field work has been done in the area to verify the presence or absence of mineral resources.

ASSESSMENT OF MINERAL RESOURCE POTENTIAL

By Michael F. Diggles

U.S. Geological Survey

Geology

The northern part of the Queer Mountain area is underlain by Mesozoic granitic rocks and flanking metamorphosed shale and limestone of presumed Proterozoic and Cambrian age. These rocks are overlain by the Tertiary Timber Mountain Tuff which covers most of the central and southern parts of the area. The tuff is about 11.3 million years old and is up to 150 ft thick. It is broken by widely spaced high-angle normal faults and is locally covered by Tertiary or Quaternary basalt flows.

Mineral Resource Potential

Wrucke and others (1984) report that there is an area of moderate potential for silver within the Queer Mountain Wilderness Study Area surrounding the Sylvia mine; that area also has low potential for molybdenum. They also assign low potential for both metals in the nearby area (fig. 1). The northern part of the study area has a moderate potential, certainty B, for gold vein deposits in granitic rocks and in flanking metamorphosed shale and limestone. The same area has a low potential, certainty B, for copper and lead. The central and southern parts of the area are underlain mainly by the Timber Mountain Tuff that is probably too thick to allow for exploration of potential targets in underlying rocks. Bliss (1983) does not show any thermal springs, Morton and others (1977) do not show any young volcanic centers, and Muffler (1979) does not show geothermal resources in or near the area. The study area has aerial gamma-ray spectroscopy values of 2.0 to 2.7 percent potassium, 43.2 to 4.0 parts per million (ppm) equivalent uranium, and 13 to 16 ppm equivalent thorium. There are no anomalies within the boundaries of the study area or in the immediate vicinity (J.S. Duval, written commun., 1990). Garside (1973) does not show any radioactive mineral occurrences in or near the study area. The rocks in the study area are not conducive to the accumulation of hydrocarbons; Sandberg (1982, 1983) does not show petroleum potential in the study area.

REFERENCES CITED

- Albers, J.P., and Stewart, J.H., 1972, Geology and Mineral Deposits of Esmeralda County, Nevada: Nevada Bureau of Mines and Geology Bulletin 78, 80 p.
- _____, 1983, Grapevine Canyon G-E-M Resources Area (GRA No. NV.-21) Technical Report (WSAs NV-050-0354 and 050-0355): Prepared for the U.S. Bureau of Land Management, contract YA-553-RFP2-1054, 33 p.
- Beikman, H.M., Hinkle, M.E., Frieders, Twila, Marcus, S.M., and Edward, J.R., 1983, Mineral surveys by the Geological Survey and the Bureau of Mines of Bureau of Land Management wilderness study areas: U.S. Geological Survey Circular 901, 28 p.
- Bliss, J.D., 1983, Nevada - Basic data for thermal springs and wells as recorded in GEOTHERM, part A: U.S. Geological Survey Open-File Report 83-433-A, 101 p.
- Garside, L.J., 1973, Radioactive mineral occurrences in Nevada: Nevada Bureau of Mines and Geology Bulletin 81, p. 53.
- Goudarzi, G.H., 1984, Guide to preparation of mineral survey reports on public lands: U.S. Geological Survey Open-File Report 84-787, 51 p.
- Leszczykowski, A.M., 1990a, Preliminary mineral investigation of the Grapevine Mountain (BLM No. 060-355), Esmeralda County, NV: U.S. Bureau of Mines Open-File Report, 7 p.
- _____, 1990b, Preliminary mineral investigation of the Queer Mountain (BLM No. 060-354), Esmeralda County, NV: U.S. Bureau of Mines Open-File Report, 7 p.
- Lincoln, F.C., 1923, Mining districts and mineral resources of Nevada: Nevada Newsletter Publishing Company, Reno, Nevada, 295 p.
- McKelvey, V.E., 1972, Mineral resource estimates and public policy: American Scientist, v. 60, p. 32-40.
- Miller, M.S., 1983, Mineral Investigation of the Little Sand Springs Wilderness Study Area (BLM NO. CDCA-119), Inyo County, California: U.S. Bureau of Mines Open-File Report MLA 103-83, 14 p.
- Morton, J.L., Silberman, M.L., Bonham, H.F., Jr., Garside, L.J., and Noble, D.C., 1977, K-Ar ages of volcanic rocks, plutonic rocks, and ore deposits in Nevada and eastern California-determinations run under the USGS-NBMG cooperative program: Isochron/West, no. 20, p. 19-29.
- Muffler, L.J.P., ed., 1979, Assessment of geothermal resources of the United States - 1978: U.S. Geological Survey Circular 790, 163 p.
- Nevada Mining Association, 1988, Nevada BLM Wilderness Study Areas, Mineral Potential Handbook: Reno, Nevada, unnumbered pages.
- Sandberg, C.A., 1982, Petroleum potential of wilderness lands, Nevada: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-1542, scale 1:1,000,000

- _____. 1983, Petroleum potential of wilderness lands in Nevada, *in* Miller, B.M., ed., Petroleum potential of wilderness lands in the Western United States: U.S. Geological Survey Circular 902-H, p. H1-H11.
- Sherlock, M.G., and Tingley, J.V., 1985, Nevada mineral-resource data: information available through the U.S. Geological Survey Mineral Resource Data System: U.S. Geological Survey Circular 966, 35 p.
- U.S. Bureau of Mines and U.S. Geological Survey, 1980, Principles of a resource/reserve classification for minerals: U.S. Geological Survey Circular 831, 5 p.
- Weimer-McMillion, Becky, Tingley, S.L., and Shilling, John, 1983, Bibliography of Nevada geology and mineral resources through 1980, an alphabetical listing by author: Nevada Bureau of Mines and Geology Special Publication 7, 184 p.
- Wong, George, 1983, Preliminary map of the resource areas in the Basin and Range Province of Nevada: U.S. Geological Survey Open-File Report 83-721, 37 p.
- Wrucke, C.T., Marsh, S.P., and Miller, M.S., 1985, Reevaluation of the mineral resource potential of part of the Little Sand Springs Wilderness Study Area, Inyo County, California: U.S. Geological Survey Open-File Report 85-215, 4 p.
- Wrucke, C.T., Werschky, R.S., Rains, G.L., Blakely, R.J., Hoover, D.B., and Miller, M.S., 1984, Mineral resources and mineral resource potential of the Little Sand Springs Wilderness Study Area, Inyo County, California: U.S. Geological Survey Open-File Report 84-557, 20 p.

APPENDIXES

APPENDIXES

DEFINITION OF LEVELS OF MINERAL RESOURCE POTENTIAL AND CERTAINTY OF ASSESSMENT

LEVELS OF RESOURCE POTENTIAL

- H **HIGH** mineral resource potential is assigned to areas where geologic, geochemical, and geophysical characteristics indicate a geologic environment favorable for resource occurrence, where interpretations of data indicate a high degree of likelihood for resource accumulation, where data support mineral-deposit models indicating presence of resources, and where evidence indicates that mineral concentration has taken place. Assignment of high resource potential to an area requires some positive knowledge that mineral-forming processes have been active in at least part of the area.
- M **MODERATE** mineral resource potential is assigned to areas where geologic, geochemical, and geophysical characteristics indicate a geologic environment favorable for resource occurrence, where interpretations of data indicate reasonable likelihood for resource accumulation, and (or) where an application of mineral-deposit models indicates favorable ground for the specified type(s) of deposits.
- L **LOW** mineral resource potential is assigned to areas where geologic, geochemical, and geophysical characteristics define a geologic environment in which the existence of resources is permissive. This broad category embraces areas with dispersed but insignificantly mineralized rock, as well as areas with little or no indication of having been mineralized.
- N **NO** mineral resource potential is a category reserved for a specific type of resource in a well-defined area.
- U **UNKNOWN** mineral resource potential is assigned to areas where information is inadequate to assign a low, moderate, or high level of resource potential.

LEVELS OF CERTAINTY

- A Available information is not adequate for determination of the level of mineral resource potential.
- B Available information only suggests the level of mineral resource potential.
- C Available information gives a good indication of the level of mineral resource potential.
- D Available information clearly defines the level of mineral resource potential.

	A	B	C	D
↑ LEVEL OF RESOURCE POTENTIAL	U/A UNKNOWN POTENTIAL	H/B HIGH POTENTIAL	H/C HIGH POTENTIAL	H/D HIGH POTENTIAL
		M/B MODERATE POTENTIAL	M/C MODERATE POTENTIAL	M/D MODERATE POTENTIAL
		L/B LOW POTENTIAL	L/C LOW POTENTIAL	L/D LOW POTENTIAL
				N/D NO POTENTIAL
	LEVEL OF CERTAINTY →			

Abstracted with minor modifications from:

Taylor, R.B., and Steven, T.A., 1983, Definition of mineral resource potential: *Economic Geology*, v. 78, no. 6, p. 1268-1270.

Taylor, R.B., Stoneman, R.J., and Marsh, S.P., 1984, An assessment of the mineral resource potential of the San Isabel National Forest, south-central Colorado: U.S. Geological Survey Bulletin 1638, p. 40-42.

Goudarzi, G.H., compiler, 1984, Guide to preparation of mineral survey reports on public lands: U.S. Geological Survey Open-File Report 84-0787, p. 7, 8.

RESOURCE/RESERVE CLASSIFICATION

	IDENTIFIED RESOURCES		UNDISCOVERED RESOURCES	
	Demonstrated		Probability Range	
	Measured	Indicated	Hypothetical	Speculative
ECONOMIC	Reserves		Inferred Reserves	
MARGINALLY ECONOMIC	Marginal Reserves		Inferred Marginal Reserves	
SUB-ECONOMIC	Demonstrated Subeconomic Resources		Inferred Subeconomic Resources	

Major elements of mineral resource classification, excluding reserve base and inferred reserve base. Modified from McKelvey, V.E., 1972, Mineral resource estimates and public policy: American Scientist, v. 60, p. 32-40; and U.S. Bureau of Mines and U.S. Geological Survey, 1980, Principles of a resource/reserve classification for minerals: U.S. Geological Survey Circular 831, p. 5.

GEOLOGIC TIME CHART

Terms and boundary ages used by the U.S. Geological Survey in this report

EON	ERA	PERIOD		EPOCH	AGE ESTIMATES OF BOUNDARIES IN MILLION YEARS (Ma)	
Phanerozoic	Cenozoic	Quaternary		Holocene	0.010	
				Pleistocene	1.7	
		Tertiary	Neogene Subperiod	Pliocene	5	
				Miocene	24	
			Paleogene Subperiod	Oligocene	38	
				Eocene	55	
				Paleocene	66	
				Mesozoic	Cretaceous	
	Jurassic	Late Middle Early	205			
		Triassic	Late Middle Early		~240	
	Paleozoic		Permian		Late Early	290
		Carboniferous Periods	Pennsylvanian		Late Middle Early	~330
			Mississippian		Late Early	360
				Devonian		Late Middle Early
		Silurian		Late Middle Early	435	
		Ordovician		Late Middle Early	500	
		Cambrian		Late Middle Early	~570	
		Proterozoic	Late Proterozoic			900
			Middle Proterozoic			1600
	Early Proterozoic			2500		
	Archean	Late Archean			3000	
		Middle Archean			3400	
		Early Archean				
pre-Archean ²					(3800?)	
					4550	

¹Rocks older than 570 Ma also called Precambrian, a time term without specific rank.

²Informal time term without specific rank.

GEOLOGIC TIME CHART

Units are arranged from top to bottom in this chart.

ERA	PERIOD	Epoch	Approximate Age in Millions of Years Ago
Cenozoic	Tertiary	Quaternary	0.01 to 2.6
		Pleistocene	2.6 to 0.01
		Pliocene	5.3 to 2.6
		Miocene	23 to 5.3
		Oligocene	34 to 23
	Cretaceous	Palaeocene	66 to 65
		Eocene	65 to 36
		Oligocene	36 to 23
		Miocene	23 to 5.3
		Pliocene	5.3 to 2.6
Mesozoic	Cretaceous	Palaeocene	66 to 65
		Eocene	65 to 36
		Oligocene	36 to 23
		Miocene	23 to 5.3
		Pliocene	5.3 to 2.6
	Jurassic	Triassic	252 to 201
		Triassic	201 to 145
		Triassic	145 to 100
		Triassic	100 to 70
		Triassic	70 to 66
Paleozoic	Permian	Carboniferous	360 to 252
		Carboniferous	252 to 201
		Carboniferous	201 to 145
		Carboniferous	145 to 100
		Carboniferous	100 to 70
	Carboniferous	Carboniferous	360 to 252
		Carboniferous	252 to 201
		Carboniferous	201 to 145
		Carboniferous	145 to 100
		Carboniferous	100 to 70
Precambrian	Proterozoic	Proterozoic	252 to 455
		Proterozoic	455 to 600
		Proterozoic	600 to 700
		Proterozoic	700 to 800
		Proterozoic	800 to 900
	Archaean	Archaean	900 to 2500
		Archaean	2500 to 3000
		Archaean	3000 to 3500
		Archaean	3500 to 4000
		Archaean	4000 to 4500

BLM Library
 Denver Federal Center
 Bldg. 50, C-851
 P.O. Box 2547
 Denver, CO 80225

